

Wellcome Trust Genome Campus Hinxton Cambridge CB10 1SA T 01223 834244 F 01223 494919 www.sanger.ac.uk

Gene: Spi1

Colony prefix: DASY

Allele: Spi1^{em1(IMPC)Wtsi}

Allele type: Crispr/Cas9 mediated Point mutation

Allele information:

Triple nucleotide deletion NM_011355.2:c.314-316del resulting in loss of proline 15 in Pu.1 protein.

Further information about the allele can be found on the 'International Mouse Phenotyping Consortium' (IMPC) web site at <u>http://www.mousephenotype.org/</u>



Mouse QC information

Loss of WT Allele (LoA) qPCR	na	Mutation Sequence confirmed	pass
Mutant Specific SR- PCR	na	Off-target analysis complete	na

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").



Guide RNAs and mutant oligos used in initial experiment

Sequence	Chr	Chr Start	Chr End
AGTACTCACAGGGGCGGTGAGGG	2	90927328	90927350
GCAGATGGTCACACATCCCAAAGCCCCAGGCTGGGCTGG		90927276	90927398
TGAAGCCCCAGTACTCACGGCGGTGAGGGAAAACCCTTCCATT	2		
TTGCACGCCTGTAACATCCAGCTGAGCTCCAGGTT			

Mutant allele sequence:

GGGATCCGCCTTGATCCCCACCGAAGCAGGGGATCTGACCAACCTGGAGCTCAGCTGGATGTTACAGGCGTGCAAAATGGAAG GGTTTTCCCTCACCGCCGTGAGTACTGGGGCTTCACTACCAGCCCAGCCTGGGGCTTTGGGATGTGTGACCATCTGCCCACTAAC CCACCAGCCCACCCGATGCCCTCCGGCTCCCT

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").



Genotyping by end-point PCR

PCRs primer pairs and expected size bands

Assay Type	Assay	Forward Primer	Reverse Primer	Expected Size Band (bp)
Standard PCR	Screening*	Spi1_PM_F	Spi1_PM_R	381

*The screening PCR flanks the SNP region and can be used for sequence verification of the allele. The PCR will not distinguish wild type from mutant mice, however, as a product will be amplified in all cases.

We recommend that mice are sequence-verified with the screening primers to confirm the genotype.

Primer sequences

Primer Name	Primer Sequence (5' > 3')	
Spi1_PM_F	TCACCCAGGGCTCCTGTA	
Spi1_PM_R	CAGGGCATGCTCTAAGGAAG	

Reaction setup

Reagent	μl
DNA (~50-100 ng)	1
5x Buffer A or B	5
Accuprime GC (Invitrogen)	0.5
Primer 1 (10 μM)	0.5
Primer 2 (10 μM)	0.5
ddH20	17.5
Total	25

Amplification conditions

Step	Conditions	Time
1	94°C	5 min
2	94°C	30 sec
3	58°C	30 sec
4	72°C	1:30 sec
5	Go to '2' + 34 cycles	-
6	72°C	5 min
7	12°C	Forever

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").



Wellcome Trust Genome Campus Hinxton Cambridge CB10 1SA T 01223 834244 F 01223 494919 www.sanger.ac.uk

Links to information and frequently asked questions

MGP mouse phenotype data: http://www.mousephenotype.org

How the "critical" exon is decided: http://www.i-dcc.org/kb/entry/102/

Relevant publications

White, J.K., Gerdin, A.-K., Karp, N.A., Ryder, E., Buljan, M., Bussell, J.N., Salisbury, J., Clare, S., Ingham, N.J., Podrini, C., et al. (2013). Genome-wide Generation and Systematic Phenotyping of Knockout Mice Reveals New Roles for Many Genes. Cell 154, 452–464.

Mali P, Yang L, Esvelt KM, et al (2013) RNA-guided human genome engineering via Cas9. Science 339:823–6. doi: 10.1126/science.1232033

Jinek M, Chylinski K, Fonfara I, et al (2012) A programmable dual-RNA-guided DNA endonuclease in adaptive bacterial immunity. Science 337:816–21. doi: 10.1126/science.1225829

Cong L, Ran FA, Cox D, et al (2013) Multiplex genome engineering using CRISPR/Cas systems. Science 339:819–23. doi: 10.1126/science.1231143

Singh P, Schimenti JC, Bolcun-Filas E (2014) A Mouse Geneticist's Practical Guide to CRISPR Applications. Genetics genetics.114.169771–. doi: 10.1534/genetics.114.169771

Brandl C, Ortiz O, Röttig B, et al (2015) Creation of targeted genomic deletions using TALEN or CRISPR/Cas nuclease pairs in one-cell mouse embryos. FEBS Open Bio 5:26–35. doi: 10.1016/j.fob.2014.11.009

Zhou J, Wang J, Shen B, et al (2014) Dual sgRNAs facilitate CRISPR/Cas9 mediated mouse genome targeting. FEBS J. doi: 10.1111/febs.12735

Kraft K, Geuer S, Will AJ, et al (2015) Deletions, Inversions, Duplications: Engineering of Structural Variants using CRISPR/Cas in Mice. Cell Rep. doi: 10.1016/j.celrep.2015.01.016

Shen B, Zhang J, Wu H, et al (2013) Generation of gene-modified mice via Cas9/RNA-mediated gene targeting. Cell Res 23:720–3. doi: 10.1038/cr.2013.46

Wang H, Yang H, Shivalila CS, et al (2013) One-step generation of mice carrying mutations in multiple genes by CRISPR/Cas-mediated genome engineering. Cell 153:910–8. doi: 10.1016/j.cell.2013.04.025

Yang H, Wang H, Shivalila CS, et al (2013) One-Step Generation of Mice Carrying Reporter and Conditional Alleles by CRISPR/Cas-Mediated Genome Engineering. Cell 154:1370–1379. doi: 10.1016/j.cell.2013.08.022 This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").